

 2026 | Catalogue

YEEVAY

One-Stop Solutions for Mobility & Storage



HAND TRUCK | STORAGE | OUTDOOR | WORKWEAR

WWW.YEEVAY.COM



Founder's Message

Our story began in **1988**, when my grandfather established a manufacturing plant of **over 4,600 m²** — a well-known facility in our region specializing in auto and motorcycle parts. The commitment to quality he built into that factory has guided our family for three generations.

Today, I have developed YEEVAY into a **manufacturing-driven** company with our own **hardware** and **plastic** factories. By managing the entire process in-house — from raw material processing to component fabrication, assembly, and final shipment — we maintain consistent quality, controlled cost, and reliable delivery.

In recent years, we have expanded further by **investing** in **technology** and **textile-related** industries. These additions enable us to broaden our product range and provide more integrated solutions, including trolleys, storage equipment, outdoor carts, tool accessories, and workwear.

Supported by strong engineering and R&D capabilities, we handle both **OEM and ODM** projects and help customers turn practical ideas into real, market-ready products.

My goal remains simple: to combine solid manufacturing with practical innovation and deliver products global buyers can trust.

Zoey Lu

1988

Our story started in 1988 when the **first-generation** founder established a workshop producing auto and motorcycle parts, we established an **8-acre** production facility in China. We became the **top**-performing factory in the region.

2004

Established a cutting-edge industrial design team and integrated precision manufacturing systems to fully pivot production lines **toward** foldable hand trucks.

2010

Establishing Roots in middle and high-end market
Achieved stringent **GS TUV** certification

Technological Breakthroughs
Developed **patented** folding & climbing hand truck
(Patent No.: 9496408)

2016

Premium **Market Expansion**

A 15% share in European high-end retail channels,
with prices triple those of standard models.

2021



PRESENT

YEEVAY officially formed, integrating hardware manufacturing, plastic production, and multi-category product development.

YEEVAY Milestones

MADE IN YEEVAY


• YEEVAY Certifications



• YEEVAY Own Brand



• YEEVAY Patents



CONTENTS

Material Handling & Mobile Solutions

Foldable hand cart 1 — 16



Mobile Workshop & Tool Storage

17 — 29

Storage & Shelving Solutions 30 — 41



Tool Bags & Portable Storage

42 — 49

Outdoor & Camping Accessories

50 — 60



Workwear

61 — 64



*Three-level height adjustment

1m



387*280MM
Aluminum



*Patented baseplate

387*280MM
Aluminum with non-slip mat

Code:	HY-007-S
Frame Material:	Aluminum
Baseplate material:	Aluminum
Certificate:	GS TUV
Opening size:	1000*395*420MM
Folding size:	635*60*390MM
Wheel size:	12.5CM
Wheel material:	PP+TPR
N.W.:	3.15KG
Platform size:	387*280MM
Handle:	PP+TPR
pcs/40'HQ:	4800pcs



1m



1.1m



Code:	HY-007-SA
Frame Material:	Aluminum
Baseplate material:	Aluminum with non-slip mat
Certificate:	GS TUV
Opening size:	1000*395*420MM
Folding size:	635*60*390MM
Wheel size:	12.5CM
Wheel material:	PP+TPR
N.W.:	3.15KG
Platform size:	387*280MM
Handle:	PP+TPR
pcs/40'HQ:	4800pcs

Code:	HY-007-SAL
Frame Material:	Aluminum
Baseplate material:	Aluminum with non-slip mat
Certificate:	GS TUV
Opening size:	1100*395*420MM
Folding size:	670*60*390MM
Wheel size:	12.5CM
Wheel material:	PP+TPR
N.W.:	3.2KG
Platform size:	387*280MM
Handle:	PP+TPR
pcs/40'HQ:	4500pcs



*retractable hook-and-loop fastener



*regular strap

HEIGHT
1m or 1.1m



Code:	JH-003-S1
Frame Material:	Aluminum
Baseplate material:	Aluminum with non-slip mat
Velcro:	1 retractable strap
Opening size:	1000*395*420MM
Folding size:	635*60*390MM
Wheel size:	12.5CM
Wheel material:	PP+TPR
N.W.:	3.15KG
Platform size:	387*280MM
Handle:	PP+TPR
pcs/40'HQ:	4800pcs

Code:	JH-003-S2
Frame Material:	Aluminum
Baseplate material:	Aluminum with non-slip mat
Velcro:	1 retractable strap
Opening size:	1100*395*420MM
Folding size:	670*60*390MM
Wheel size:	12.5CM
Wheel material:	PP+TPR
N.W.:	3.2KG
Platform size:	387*280MM
Handle:	PP+TPR
pcs/40'HQ:	4500pcs



70kg

90kg



Code:	HY-007-SN
Frame Material:	Aluminum
Baseplate material:	Aluminum
Certificate:	GS TUV
Opening size:	1010*420*400MM
Folding size:	765*60*390MM
Wheel size:	12.5CM
Wheel material:	PP+TPR
N.W.:	3.15KG
Platform size:	387*280MM
Handle:	PP+TPR
pcs/40'HQ:	4800pcs

Code:	HY-007-STN
Frame Material:	Steel
Baseplate material:	Aluminum
Opening size:	1010*420*400MM
Folding size:	765*60*390MM
Wheel size:	12.5CM
Wheel material:	PP+TPR
N.W.:	3.9KG
Platform size:	387*280MM
Handle:	PP+TPR
pcs/40'HQ:	4800pcs



1M



70kg
ground

35kg
stairs



*TPR



*PU



1.1M

Code:	HY-007-S2
Frame Material:	Aluminum
Baseplate material:	Aluminum with non-slip mat
Wheel frame:	Aluminum
Certificate:	GS TUV
Opening size:	1000*470*470MM
Folding size:	635*100*385MM
Wheel size:	10CM
Wheel material:	PP+PU
N.W.:	4.05KG
Platform size:	387*280MM
Handle:	PP+TPR
pcs/40'HQ:	2700pcs

Code:	HY-007-S2L
Frame Material:	Aluminum
Baseplate material:	Aluminum with non-slip mat
Wheel frame:	Aluminum
Certificate:	GS TUV
Opening size:	1100*470*470MM
Folding size:	670*100*390MM
Wheel size:	10CM
Wheel material:	PP+PU
N.W.:	4.28KG
Platform size:	387*280MM
Handle:	PP+TPR
pcs/40'HQ:	2700pcs



70kg
ground

35kg
stairs



*retractable hook-and-loop fastener



Code:	JH-003-SPZD
Frame Material:	Aluminum
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1100*465*475MM
Technique:	Vibratory polishing
hook-and-loop:	1PCS
Folding size:	670*105*386MM
Wheel size:	10CM
Wheel material:	PP+PU
N.W.:	4.3KG
Platform size:	390*280MM
Handle:	PP+TPR
pcs/40'HQ:	2700pcs

70kg



90kg



Code:

JH-003-SN

Frame Material:

Aluminum

Baseplate material:

Aluminum
with non-slip mat

Opening size:

1010*395*420MM

Folding size:

768*60*386MM

Wheel size:

12.5CM

Wheel material:

PP+TPR

N.W.:

3.15KG

Platform size:

390*280MM

Handle:

EVA

pcs/40'HQ:

3780pcs

Code:

JH-003-STN

Frame Material:

Steel

Baseplate material:

Aluminum
with non-slip mat

Opening size:

1010*395*420MM

Folding size:

768*60*386MM

Wheel size:

12.5CM

Wheel material:

PP+TPR

N.W.:

4KG

Platform size:

390*280MM

Handle:

EVA

pcs/40'HQ:

3780pcs

90kg
ground

45kg
stairs



Code:	JH-003-STNP
Frame Material:	Steel
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1016*467*475MM
Folding size:	772*105*386MM
Wheel size:	10CM
Wheel material:	PP+PU
N.W.:	4.9KG
Platform size:	387*280MM
Handle:	EVA
pcs/40'HQ:	2200pcs

Code:	JH-003-SNP
Frame Material:	Aluminum
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1016*467*475MM
Folding size:	772*105*386MM
Wheel size:	10CM
Wheel material:	PP+PU
N.W.:	4.05KG
Platform size:	387*280MM
Handle:	EVA
pcs/40'HQ:	2200pcs



90kg
ground

45kg
stairs


Code:	JH-003-SPT
Frame Material:	Steel
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1022*485*532MM
Folding size:	780*105*485MM
Wheel size:	10CM
Wheel material:	PP+PU
N.W.:	5.1KG
Platform size:	485*350MM
Handle:	EVA
pcs/40'HQ:	1800pcs



390*280MM



**485*350MM
PLUS**



**90kg
ground**

**45kg
stairs**

Code:	JH-003-LP-1
Frame Material:	Aluminum
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1095*590*616MM
Folding size:	780*138*482MM
Wheel size:	15CM
Wheel material:	PP+PU
N.W.:	7.12KG
Platform size:	490*350MM
Handle:	PP+TPR
pcs/40'HQ:	1900pcs

100kg
ground

50kg
stairs



100kg




Code:	JH-003-B-2-2
Frame Material:	Aluminum
Baseplate material:	Aluminum
Wheel material:	PP+TPR
Opening size:	1100*502*525MM
Folding size:	770*75*482MM
Wheel size:	17.5CM
N.W.:	5.14KG
Platform size:	490*350MM
Handle:	PP
pcs/40'HQ:	2700pcs

Code:	JH-003-LP-2
Frame Material:	Aluminum
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1296*590*616MM
Folding size:	1010*138*482MM
Wheel size:	15CM
Wheel material:	PP+PU
N.W.:	7.64KG
Platform size:	490*350MM
Handle:	PVC+EVA
pcs/40'HQ:	900pcs

100kg
ground

50kg
stairs



100kg
ground

50kg
stairs

Code:	JH-003-LP-3
Frame Material:	Aluminum
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1290*590*616MM
Folding size:	1020*138*482MM
Wheel size:	15CM
Wheel material:	PP+PU
N.W.:	7.4KG
Platform size:	490*350MM
Handle:	EVA
pcs/40'HQ:	900pcs



Code:	JH-003-BS
Frame Material:	Aluminum
Baseplate material:	Aluminum
Opening size:	1086*490*520MM
Folding size:	835*70*482MM
Wheel size:	17.5CM
Wheel material:	PP+TPR
N.W.:	4.68KG
Platform size:	490*350MM
Handle:	EVA
pcs/40'HQ:	2600pcs

Code:	JH-003-BTS
Frame Material:	Steel
Baseplate material:	Aluminum
Opening size:	1086*490*520MM
Folding size:	835*70*482MM
Wheel size:	17.5CM
Wheel material:	PP+TPR
N.W.:	5.88KG
Platform size:	490*350MM
Handle:	EVA
pcs/40'HQ:	2600pcs

120kg



125kg



Code:	HY-007-B-2
Frame Material:	Aluminum
Baseplate material:	Aluminum
Opening size:	1143*495*525MM
Folding size:	900*70*485MM
Wheel size:	17.5CM
Wheel material:	PP+TPR
Certificate:	GS TUV
N.W.:	5.2KG
Platform size:	490*350MM
Handle:	EVA
pcs/40'HQ:	2300pcs

Code:	JH-003-BTBS
Frame Material:	Steel
Baseplate material:	Aluminum
Opening size:	1143*495*525MM
Folding size:	900*70*485MM
Wheel size:	17.5CM
Wheel material:	PP+TPR
N.W.:	6.4KG
Platform size:	490*350MM
Handle:	EVA
pcs/40'HQ:	2300pcs



150kg



150kg



Code:	JH-003-BTBL
Frame Material:	Steel
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1150*530*500MM
Folding size:	900*70*490MM
Wheel size:	17.5CM
Wheel material:	PP+TPR
N.W.:	6.83KG
Platform size:	490*350MM
Handle:	EVA
pcs/40'HQ:	2300pcs

Code:	HY-007-B-2A
Frame Material:	Aluminum
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Certificate:	GS TUV
Opening size:	1150*530*500MM
Folding size:	900*70*490MM
Wheel size:	17.5CM
Wheel material:	PP+TPR
N.W.:	5.63KG
Platform size:	490*350MM
Handle:	EVA
pcs/40'HQ:	2300pcs

Code:	JH-003-BL
Frame Material:	Aluminum
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1086*490*520MM
Folding size:	835*70*482MM
Wheel size:	17.5CM
Wheel material:	PP+TPR
N.W.:	5.2KG
Platform size:	490*350MM
Handle:	EVA
pcs/40'HQ:	2600pcs

150kg



150kg



Code:	JH-003-BTL
Frame Material:	Steel
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1086*490*520MM
Folding size:	835*70*482MM
Wheel size:	17.5CM
Wheel material:	PP+TPR
N.W.:	6.4KG
Platform size:	490*350MM
Handle:	EVA
pcs/40'HQ:	2600pcs



150kg



Code:	JH-003-BTW
Frame Material:	Steel
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1140*490*520MM
Folding size:	890*70*482MM
Wheel size:	17.5CM
Wheel material:	PP+TPR
N.W.:	6.46KG
Platform size:	490*350MM
Handle:	EVA
pcs/40'HQ:	2480pcs



Code:	JH-003-XL
Frame Material:	Aluminum
Baseplate material:	Aluminum
Wheel frame:	Aluminum
Opening size:	1220*600*610MM
Folding size:	1030*80*590MM
Wheel size:	20cm
Wheel material:	PP+TPR
N.W.:	10.4KG
Platform size:	590*400MM
Handle:	EVA
pcs/40'HQ:	1200pcs



200kg

*High strength impact resistant plastic case



Code:	YW3301A
Material:	Plastic
Size:	560*340*160MM
N.W.:	3KG



Code:	YW3301B
Material:	Plastic
Size:	560*340*310MM
N.W.:	4KG



Code:	YW3301C
Material:	Plastic
Size:	560*450*380MM
N.W.:	9.3KG



Code:	YW3301
Material:	Plastic
Size:	560*450*850MM
N.W.:	16.3KG

*Sealed waterproof design (IP X6 waterproof grade)

Code:	YW3901A
Material:	PP+PC
Size:	550*340*115MM
N.W.:	3KG
pcs/40'HQ:	3045pcs



Code:	YW3901B
Material:	PP
Size:	550*340*160MM
N.W.:	3KG
pcs/40'HQ:	1969pcs



Code:	YW3901C
Material:	PP
Size:	550*340*310MM
N.W.:	4.25KG
pcs/40'HQ:	1030pcs





*Sealed waterproof design (IP X6 waterproof grade)

Code:	YW3901D
Material:	PP
Size:	580*470*410MM
N.W.:	9KG
pcs/40'HQ:	474pcs



Code:	YW3901-CD
CTN Size:	590*470*720MM
G/N weight:	15/13.5KG
pcs/40'HQ:	329pcs

Code:	YW3901-BCD
CTN Size:	590*470*970MM
G/N weight:	18.5/17KG
pcs/40'HQ:	275pcs


Code:	YW3901-ACD
CTN Size:	590*470*825MM
G/N weight:	17.5/16.5KG
pcs/40'HQ:	290pcs



Code:	YW3901-ABCD
CTN Size:	590*470*990MM
G/N weight:	21.8/20KG
pcs/40'HQ:	240pcs



Code:	YW3511
Size:	467*355*890MM
N.W.:	13.95KG



Code:	YW3511B
Size:	445*320*185MM
N.W.:	3.96KG
QTY/CTN:	4pcs
Package:	460*660*390MM



Code:	YW3511C
Size:	445*320*185MM
N.W.:	2.9KG
QTY/CTN:	6pcs
Package:	460*660*575MM



Code:	YW3511D
Size:	445*320*270MM
N.W.:	3.14KG
QTY/CTN:	4pcs
Package:	460*660*560MM



Code:	YW3511A
Size:	445*320*170MM
N.W.:	1.75KG
QTY/CTN:	8pcs
Package:	460*660*700MM



Code:	YW3511E
Size:	468*355*40MM
N.W.:	2.2KG
QTY/CTN:	8pcs
Package:	480*370*420MM



*YW3511



Code:	YW3201A
Material:	ABS
Handle:	Aluminum
Size:	440*320*150MM
N.W.:	2.1KG



*Removeable sheet alternative



Code:	YW3201B
Material:	ABS
Handle:	Aluminum
Size:	440*320*150MM
N.W.:	3.4KG



*Removeable sheet alternative



Code:	YW3201C
Material:	ABS
Handle:	Aluminum
Size:	440*320*255MM
N.W.:	2.4KG



Code:	YW3201D
Material:	ABS
Wheel:	PU
Size:	465*330*110MM
N.W.:	2.15KG

Code:	YW3201
Material:	ABS
Wheel:	PU
Size:	470*350*650MM
N.W.:	10KG



YW3201A+YW3201B+YW3201C+YW3201D





Code:	YW24001
Material:	CR Steel
Size:	760*330*615MM
Drawer size:	509*278*125MM
Door size:	530*372MM
Wheel size:	4 inch
Wheel material:	PU
N.W.:	14KG
pcs/40'HQ:	366PCS

Code:	YW24002
Material:	CR Steel
Size:	760*330*615MM
Large drawer size:	509*278*125MM
Small drawer size:	509*278*67MM
Wheel size:	4 inch
Wheel material:	PU
N.W.:	22KG
pcs/40'HQ:	366PCS



Code:	YW24003
Material:	CR Steel
Size:	760*330*615MM
Large drawer size:	509*278*67MM
Small drawer size:	509*278*42MM
Wheel size:	4 inch
Wheel material:	PU
N.W.:	24KG
pcs/40'HQ:	366PCS





Code:	YW24004
Material:	CR Steel
Size:	680*400*900MM
Drawer size:	540*353*70MM
Door size:	490*547MM
Wheel size:	4 inch
Wheel material:	PU
N.W.:	25.6KG
pcs/40'HQ:	258PCS

Code:	YW24005
Material:	CR Steel
Size:	680*400*900MM
Drawer size:	540*353*70MM
Door size:	490*472MM
Wheel size:	4 inch
Wheel material:	PU
N.W.:	28.4KG
pcs/40'HQ:	258PCS



Code:	YW24006
Material:	CR Steel
Size:	680*400*900MM
Drawer size:	540*353*70MM
Door size:	490*400MM
Wheel size:	4 inch
Wheel material:	PU
N.W.:	29.4KG
pcs/40'HQ:	258PCS





Code:	YW23001
Material:	ABS+CR Steel
Size:	626*330*319MM
Door inner size:	535*315*233MM
CR Steel thickness:	0.5MM
N.W.:	6.65KG
CBM:	0.11



Code:	YW23002
Material:	ABS+CR Steel
Size:	626*330*271MM
Large drawer size:	507*285*79MM
Small drawer size:	507*285*33MM
CR Steel thickness:	0.5MM
N.W.:	12.3KG
CBM:	0.11



Code:	YW23003
Material:	ABS+CR Steel
Size:	626*328*725MM
Large drawer size:	507*285*79MM
Small drawer size:	507*285*33MM
CR Steel thickness:	0.5MM
N.W.:	23.3KG
CBM:	0.19

Code:	YW23004
Material:	ABS+CR Steel
Size:	626*328*725MM
Large drawer size:	507*285*79MM
Small drawer size:	507*285*33MM
Door inner size:	535*295*355MM
CR Steel thickness:	0.5MM
N.W.:	17.1KG
CBM:	0.19

Code:	YW23005
Material:	ABS+CR Steel
Size:	626*328*725MM
Large drawer size:	507*285*79MM
Small drawer size:	507*285*33MM
CR Steel thickness:	0.5MM
N.W.:	20.6KG
CBM:	0.19



300kg

Code:	YW23006
Tabletop material:	ABS+Stainless steel(201)
Main body:	CR Steel
Size:	815*458*942MM
Large drawer size:	567*397*134MM
Small drawer size:	567*397*53MM
Slide Rail:	16-inch Hook-type(45mm width)
Single Drawer Capacity:	30KG
Wheel size:	5 inch
Overall capacity:	300KG
N.W.:	50.7KG
pcs/40'HQ:	209pcs



300kg

Code:	YW23007
Tabletop material:	ABS+Stainless steel(201)
Main body:	CR Steel
Size:	871*456*930MM
Large drawer size:	540*400*131MM
Small drawer size:	540*400*52MM
Slide Rail:	16-inch Hook-type(45mm width)
Single Drawer Capacity:	30KG
Wheel size:	5 inch
Overall capacity:	300KG
N.W.:	47KG
pcs/40'HQ:	197pcs



300kg

Code:	YW23008
Tabletop material:	ABS+Stainless steel(201)
Main body:	CR Steel
Size:	871*456*930MM
Large drawer size:	540*400*131MM
Small drawer size:	540*400*52MM
Slide Rail:	16-inch Hook-type(45mm width)
Single Drawer Capacity:	30KG
Wheel size:	5 inch
Overall capacity:	300KG
N.W.:	48.5KG
pcs/40'HQ:	197pcs



300kg

Code:	YW23009
Tabletop material:	ABS+Stainless steel(201)
Size:	1146*450*950MM
Large drawer size:	540*400*142MM
Small drawer size:	540*400*66MM
Slide Rail:	16-inch Hook-type(45mm width)
Single Drawer Capacity:	30KG
Wheel size:	5 inch
Overall capacity:	300KG
N.W.:	66.5KG
pcs/40'HQ:	142PCS



300kg

Code:	YW23010
Tabletop material:	Rubber wood
Size:	1136*455*995MM
Large drawer size:	525*395*73MM
Small drawer size:	525*395*55MM
Slide Rail:	16-inch Hook-type(45mm width)
Single Drawer Capacity:	30KG
Wheel size:	5 inch
Overall capacity:	300KG
N.W.:	73.5KG
pcs/40'HQ:	134PCS





Code:	JH-002-4TIS
Material:	Steel
Style:	4-tray with top shelf
Size:	415*400*1298MM
N.W.:	7.54KG



Code:	JH-002-6TIS
Material:	Steel
Style:	6-tray with top shelf
Size:	924*349*825MM
N.W.:	9.75KG



*Bucket Rack & Shelf Interchangeable, Free Combination





Code:	JH-002-9TIS
Material:	Steel
Style:	9-tray with top shelf
Size:	924*349*1164MM
N.W.:	11.1KG

Code:	JH-002-9T
Material:	Steel
Style:	9-tray
Size:	924*349*825MM
N.W.:	7.75KG




Code:	JH-002-12T
Material:	Steel
Style:	12-tray
Size:	924*349*1164MM
N.W.:	9.3KG



*Bucket Rack & Shelf Interchangeable, Free Combination



Code:	JH-002-10T
Material:	Steel
Style:	10-tray
Size:	657*345*1382MM
N.W.:	7.26KG





Code:	JH-002-4T
Material:	Steel
Style:	4-tray
Size:	363*365*1196MM
N.W.:	7.48KG



Code:	JH-002-8T
Material:	Steel
Style:	8-tray
Size:	646*365*1196MM
N.W.:	9.5KG





Main frame

Code:	JH-002-SR1
Material:	Cold-rolled Steel
Layers:	4




Auxiliary frame

Code:	JH-002-SR1F
Material:	Cold-rolled Steel
Layers:	4

Size	Main frame G.W.	Auxiliary frame G.W.	Load capacity/Layer
1000*400*2000MM	24KG	19KG	200KG/Layer
1000*500*2000MM	27KG	22KG	200KG/Layer
1000*600*2000MM	30KG	25KG	200KG/Layer
1200*400*2000MM	28KG	23KG	200KG/Layer
1200*500*2000MM	30KG	25KG	200KG/Layer
1200*600*2000MM	33KG	28KG	200KG/Layer
1500*400*2000MM	32KG	27KG	200KG/Layer
1500*500*2000MM	34KG	29KG	200KG/Layer
1500*600*2000MM	37KG	32KG	200KG/Layer
1800*400*2000MM	38KG	33KG	180KG/Layer
1800*500*2000MM	40KG	35KG	180KG/Layer
1800*600*2000MM	43KG	38KG	180KG/Layer
2000*400*2000MM	40KG	35KG	180KG/Layer
2000*500*2000MM	42KG	37KG	180KG/Layer
2000*600*2000MM	46KG	41KG	180KG/Layer
Other Customizable Size & Load Capacity			350KG/500KG



*Thickened rubber feet




*Adjustable & Customizable number of shelves




Main frame

Auxiliary frame



1000/1200/1500/
1800/2000
Length

2000
Height



2000
Height

400/500/600
Width



Main frame




Auxiliary frame

Code:	JH-002-SR2
Material:	Cold-rolled Steel
Style:	4 storage layers+1 pegboard
Size:	1000*600*2000MM 1200*600*2000MM 1500*600*2000MM

Code:	JH-002-SR2F
Material:	Cold-rolled Steel
Style:	4 storage layers+1 pegboard
Size:	1000*600*2000MM 1200*600*2000MM 1500*600*2000MM

Unlimited stackable combinations





Main frame




Auxiliary frame


Code:	JH-002-SR3
Material:	Cold-rolled Steel
Style:	1 desk layer+2 storage layers+1 pegboard
Size:	1000*600*2000MM 1200*600*2000MM 1500*600*2000MM

Code:	JH-002-SR3F
Material:	Cold-rolled Steel
Style:	1 desk layer+2 storage layers+1 pegboard
Size:	1000*600*2000MM 1200*600*2000MM 1500*600*2000MM






*Pegboard
(with 2 hanging rails included)




Fits 1000mm length

Code:	JH-002-SRP3
Material:	Cold-rolled Steel
Fits 1000mm length	




Fits 1200mm length

Code:	JH-002-SRP4
Material:	Cold-rolled Steel
Fits 1200mm length	



Fits 1500mm length

Code:	JH-002-SRP5
Material:	Cold-rolled Steel
Fits 1500mm length	



3 pcs

JH-002-SRP1
















1 pcs

JH-002-SRP2

Code:	JH-002-SRP1
Material:	Cold-rolled Steel
Fits 400mm width:	450*396MM
Fits 500mm width:	450*496MM
Fits 600mm width:	450*596MM

Code:	JH-002-SRP2
Material:	Cold-rolled Steel
Fits 400mm width:	615*396MM
Fits 500mm width:	615*496MM
Fits 600mm width:	615*596MM







Code:	YWTB01
Material:	Steel
Size:	425*200*150MM
N.W.:	3.2KG
Package:	470*240*190MM



Code:	YWTB02
Material:	Steel
Size:	350*235*270MM
N.W.:	3.4KG
Package:	450*275*245MM



Code:	YWTB03
Material:	Steel
N.W.:	6KG
Size:	465*235*350MM
Package:	550*275*390MM



Code:	YWTB04
Material:	Steel
Size:	530*235*340MM
N.W.:	6.6KG
Package:	610*275*390MM



Code:	YWTB05
Material:	Steel
Size:	510*218*250MM
N.W.:	8KG
Package:	550*260*290MM



Code:	YWTB06
Material:	Steel
Size:	510*220*310MM
N.W.:	8.4KG
Package:	550*260*350MM



Code:	YWTB07
Material:	Steel
Size:	530*220*290MM
N.W.:	7.5KG
Package:	570*260*330MM



Code:	YWTB08
Material:	Steel
Size:	510*220*320MM
N.W.:	8.5KG
Package:	570*330*340MM



Code:	YWTB09
Material:	Steel
Size:	510*220*320MM
N.W.:	9KG
Package:	570*330*340MM



Code:	YWTB10
Material:	Steel
Size:	395*245*335MM
N.W.:	13KG
Package:	440*290*380MM



Code:	YWTB21
Material:	600D nylon
Size:	360*240*350MM
Qty/CTN:	2pcs
Package:	600*400*450MM



Code:	YWTB22
Material:	600D nylon
Opening Size:	300*280*340MM
Folding Size:	330*450*50MM
Qty/CTN:	10pcs
Package:	460*350*510MM



Code:	YWTB23
Material:	600D nylon
Size:	520*220*250MM
Qty/CTN:	4pcs
Package:	530*450*510MM



*hard base



Code:	YWTB24
Material:	600D/1680D nylon
Size:	370*240*320MM
Qty/CTN:	4pcs
Package:	490*390*530MM



*hard base

Code:	YWTB25
Material:	600D nylon
Size:	420*230*360MM
Qty/CTN:	4pcs
Package:	500*430*710MM



*hard base



Code:	YWTB26	
Material:	600D/1680D nylon	
Size:	14"	370*220*270MM
	16"	420*240*390MM
	18"	470*270*310MM
	20"	520*290*330MM
Qty/CTN:	10pcs	



*hard base



Code:	YWTB27
Material:	600D nylon
Size:	620*300*300MM
Qty/CTN:	4pcs
Package:	580*520*500MM



Code:	YWTB28
Material:	600D nylon
Size:	400*300*400MM
Qty/CTN:	4pcs
Package:	750*350*560MM



*hard base



*hard base



Code:	YWTB29
Material:	600D nylon
Size:	420*230*360MM
Qty/CTN:	4pcs
Package:	500*430*710MM



Code:	YWTB30
Material:	600D nylon
Size:	370*240*280MM
Qty/CTN:	4pcs
Package:	490*380*550MM





Code:	YWTB31
Material:	600D nylon
Size:	380*220*330MM
Qty/CTN:	6pcs
Package:	660*400*130MM

Code:	YWTB32
Material:	600D nylon
Size:	380*220*330MM
Qty/CTN:	6pcs
Package:	660*400*130MM



Code:	YWTB33
Material:	600D nylon
Size:	490*240*300MM
Qty/CTN:	4pcs
Package:	500*490*510MM

Code:	YWTB34
Material:	600D nylon
Size:	420*220*270mm
Qty/CTN:	4pcs
Package:	440*440*510MM



Code:	YWTB35
Material:	600D nylon
Size:	510*260*340MM
Qty/CTN:	4pcs
Package:	520*670*600MM

Code:	YWTB36
Material:	600D nylon
Size:	250*250*270MM
Qty/CTN:	12pcs
Package:	770*770*510MM



Code:	YWTB37
Material:	600D nylon
Size:	460*240*280MM
Qty/CTN:	6pcs
Package:	770*520*470MM



Code:	YWTB38
Material:	600D nylon
Size:	460*250*370MM
Handle height:	1050MM
Qty/CTN:	2pcs
Package:	600*490*420MM

Code:	YWTB39
Material:	600D nylon
Size:	360*240*350MM
Handle height:	950MM
Qty/CTN:	4pcs
Package:	600*400*450MM





150kg

Code:	JH-007-S1
Frame Material:	Aluminum
Wheel frame:	Aluminum
Fabric cover material:	600D Oxford cloth
Opening size:	930*530*960mm
Folding size:	270*210*740mm
Storage capacity:	140L
Maximum load capacity:	150KG
Wheel size:	10CM wide 17CM in diameter
Wheel material:	EVA
N.W.:	9.2KG
Handle:	PP+TPR




360° Swivel Wheels

10cm Wide Tires

12 Universal Bearings



**Full Aluminum** Frame


Code:	JH-007-SIT
Material:	Aluminum
Opening size:	965*560*10mm
Load capacity:	30KG
Fits JH-007-S1	



Code:	JH-007-M1
Frame Material:	Aluminum
Wheel frame:	Aluminum
Fabric cover material:	600D Oxford cloth
Opening size:	1030*590*980mm
Folding size:	310*210*760mm
Storage capacity:	185L
Maximum load capacity:	150KG
Wheel size:	10CM wide 17CM in diameter
Wheel material:	EVA
N.W.:	9.7KG
Handle:	PP+TPR

Full Aluminum Frame





Code:	JH-007-MIT
Material:	Aluminum
Opening size:	1040*580*10mm
Load capacity:	30KG
Fits JH-007-M1	






Code:	JH-007-L1
Frame Material:	Aluminum
Wheel frame:	Aluminum
Fabric cover material:	600D Oxford cloth
Opening size:	1130*610*1040mm
Folding size:	240*300*840mm
Storage capacity:	220L
Maximum load capacity:	150KG
Wheel size:	10CM wide 17CM in diameter
Wheel material:	EVA
N.W.:	10.3KG
Handle:	PP+TPR



Full Aluminum Frame





Code:	JH-007-LIT
Material:	Aluminum
Opening size:	1100*600*10mm
Load capacity:	30KG
Fits JH-007-L1	






Code:	YW5TK01
Frame Material:	Steel
Fabric cover material:	600D Oxford cloth
Opening size:	800*465*910mm
Folding size:	520*160*670mm
Storage capacity:	100L
Maximum load capacity:	150KG
Wheel size:	5CM wide 12CM in diameter
N.W.:	6.1KG



Code:	YW8TK01
Frame Material:	Steel
Fabric cover material:	600D Oxford cloth
Opening size:	960*505*1020mm
Folding size:	605*185*745mm
Storage capacity:	150L
Maximum load capacity:	200KG
Wheel size:	9.5CM wide 16.5CM in diameter
N.W.:	9.7KG



Full Steel Frame





Code:	YW5TK01-TOP
Frame Material:	Steel
Opening size:	750*450*10mm
Folding size:	460*195*65mm
N.W.:	2.0KG
Fits YW5TK01	
Fits YW5TK02	

Code:	YW8TK01-TOP
Frame Material:	Steel
Opening size:	960*505*1020mm
Folding size:	605*185*745mm
N.W.:	2.3KG
Fits YW8TK01	
Fits YW8TK02	





Code:	YW5TK02
Frame Material:	Steel
Fabric cover material:	600D Oxford cloth
Opening size:	878*470*890mm
Folding size:	285*190*690mm
Storage capacity:	100L
Maximum load capacity:	150KG
Wheel size:	5CM wide 12CM in diameter
N.W.:	7.08KG





Full Steel Frame

Code:	YW8TK02
Frame Material:	Steel
Fabric cover material:	600D Oxford cloth
Opening size:	960*460*970mm
Folding size:	340*270*750mm
Storage capacity:	180L
Maximum load capacity:	150KG
Wheel size:	9.5CM wide 16.5CM in diameter
N.W.:	9.9KG




Code:	YW5TK03
Frame Material:	Steel
Fabric cover material:	600D Oxford cloth
Opening size:	1220*470*875mm
Folding size:	305*210*640mm
Storage capacity:	200L
Maximum load capacity:	150KG
Wheel size:	5CM wide 12CM in diameter
N.W.:	8.25KG




Code:	YW8TK03
Frame Material:	Steel
Fabric cover material:	600D Oxford cloth
Opening size:	1430*630*980mm
Folding size:	380*240*690mm
Storage capacity:	200L
Maximum load capacity:	150KG
Wheel size:	9.5CM wide 16.5CM in diameter
N.W.:	12.45KG





Code:	YW8TK04
Frame Material:	Steel
Fabric cover material:	600D Oxford cloth
Opening size:	1440*560*975mm
Folding size:	355*255*705mm
Storage capacity:	200L
Maximum load capacity:	150KG
Wheel size:	9.5CM wide 16.5CM in diameter
N.W.:	11.45KG



Code:	YW8TK04-TOP
Frame Material:	Steel
Opening size:	860*590*100mm
Folding size:	590*220*65mm
N.W.:	2.75KG
Fits YW8TK03	
Fits YW8TK04	



40°C



DAILY HEAT
PRESERVATION
(BLUE LIGHT)

50°C



WARM AND
COMFORTABLE
(WHITE LIGHT)

60°C



FULL-BODY
WARMING
(RED LIGHT)

Product Name: Heated Vest

Functional Features: Graphene Heating and Warm-keeping

Product Fabric: Polar Fleece

Product Size: M-5XL

Version: Slim Fit / Regular / Loose

Elasticity: Non-elastic / Elastic / High-elastic

Touch: Moderate / Soft / High-soft

Thickness: Thin / Regular / Thickened

UNISEX SIZE CHART

UNIT OF MEASUREMENT: CM

SIZE	CHEST CIRCUMFERENCE	ARM CIRCUMFERENCE	CLOTHES LENGTH	HEIGHT	WEIGHT
M	95	91	63	160-165	90-110
L	100	96	65	165-170	100-130
XL	105	102	67	170-175	130-145
2XL	110	107	69	175-180	145-165
3XL	115	112	71	180-185	165-180
4XL	120	117	74	185-190	180-195
5XL	125	122	77	190-195	195-210

THE ABOVE PARAMETERS ARE MANUALLY MEASURED.
SLIGHT DEVIATIONS ARE NORMAL AND FOR REFERENCE ONLY.

BATTERY SAFETY CERTIFICATION



OVERCURRENT
PROTECTION



OVERVOLTAGE
PROTECTION



HIGH-TEMPERATURE
PROTECTION



SHORT-CIRCUIT
PROTECTION



OVERPOWER
PROTECTION



FLAME-RETARDANT
PROTECTION




12h

持续恒温

20000 mAh
Ultra-long Battery Life

STEREOSCOPIC FILLING





Stand-up Collar



Elastic Cuffs




High-quality Zipper



Elastic Cuffs



Inner Connecting Wire
(Battery Dedicated Wire)



Graphene Lining

GRAPHENE
3S FAST HEATING

**GRAPHENE 3-SECOND RAPID
HEATING THERMAL
CONDUCTIVITY EFFICIENCY
GREATLY IMPROVED**



YEEVAY | 2026 New Tech Launch



- *Universal for all apparel
- *Customizable heating features
- *Accept customer's own garments for tailor-made heating customization



Product Name:
Cooling Garment / Air Conditioning
Size: See Details
Color: Camouflage

Use: Outdoor work, Fishing, Welding
Material: Polyester 100%



THICKNESS GUIDE

Thin Medium Thick Extra Thick

STRETCHINESS GUIDE

Non-Stretch Slight Stretch Moderate Stretch High Stretch

FIT GUIDE

SKINNY SLIM REGULAR LOOSE

FABRIC FEEL GUIDE

ULTRA-SOFT SOFT MEDIUM SLIGHTLY STIFF

Size	Length	Bust	Hem Width	Sleeve Length	Cuff	Shoulder	Width
M	67	114	90	58	24	47	165/84A
L	68.5	118	94	59.5	25	48	170/88A
XL	70	122	98	61	26	49	175/92A
2XL	71.5	126	102	62.5	27	50	180/96A
3XL	73	130	106	64	28	51	185/100A
4XL	74.5	134	110	65.5	29	52	190/104A



BUILT-IN 20000MAH
ULTRA-LONG BATTERY LIFE



FEEL UP TO 20°C COOLER
PORTABLE COOLING SYSTEM



5-10 HOURS
CONTINUOUS COOLING



10 HOURS
CONTINUOUS COOLING

20000 mAh
Ultra-Long Battery Life



75min

COMFORTABLE OPERATION

TEXT UNCLEAR/POSSIBLY
MISWRITTEN:
FAST CHARGING FROM 0 TO 75%

SAY GOODBYE TO WAITING


LED

Real-time
Power Display

**EFFICIENCY
FIRST**

DC20V
OUTPUT POWER

10,000 RPM TURBO
COOLING SYSTEM
4-LEVEL SMART TEMPERATURE
CONTROL



10000转/MIN:
10000 RPM

ONE-TOUCH HIGH-EFFICIENCY MODE
FEEL UP TO 20°C COOLER

**3D**
RECURRENCE

CIRCULATING AIRFLOW TECHNOLOGY COOL SENSATION

ONE-TOUCH START MODE
NATURAL WIND QUICKLY COVERS THE BODY SURFACE
FAST HEAT EXHAUST, PHYSICAL RAPID COOLING
KEEPS THE BODY COOL AT ALL TIMES

3D CIRCULATING AIRFLOW

COVERS BODY SURFACE

LONG-LASTING EFFECT

DC INTERFACE



YEEVAY | 2026 New Tech Launch

- *Universal for all apparel
- *Customizable heating features
- *Accept customer's own garments for tailor-made heating customization



NINGBO YIWEI IMPORT AND EXPORT CO., LTD
YUYAO HUAYE METAL PRODUCTS CO., LTD

No.30-23,Anjie West Road,Sanqishi Town,Yuyao,Ningbo,Zhejiang,China

Tel: +86 13123817770

Email: hyzoeylu@gmail.com

YouTube: @HuaYeHandTruck

WWW.YEEVAY.COM



专利产品，侵权必究
Patented product, no infringement allowed.